MANUFACTURED STONE BASE
BROWN ARM, BLACK POST

±11.6 S.F.

(5) ENTRY SIGNAGE
SCALE: N.T.S.

PRECAST PAVER W/ HAND TIGHT SAND SWEPT JOINTS.
SAND SETTING BED.
GEOTEXTILE FABRIC LINING.
CRUSHED/COMPACTED AGGREGATE BASE
PVC EDGING SPIKE AT 12" O.C. BY PAVE-EDGE OR APPROVED EQUAL.
FINISH GRADE.
1" MAX.
6"
6" MIN
COMPACTED SUBGRADE

(4) PRECAST CONCRETE PAVER ON STONE DETAIL
N.T.S.

COURT PAVEMENT
CONCRETE FOOTING
NET POST IN SLEEVE
COMPACTED SUBGRADE
36" MIN.
16" MIN

(1) PICKLEBALL NET POST AND SLEEVE
N.T.S.

ASPHALT SURFACE COURSE, TYPE 1
ODOT 304 COMPACTED AGGREGATE BASE
SLOPE 1% SIDE TO SIDE
FINISH GRADE
45°
3"
6"
COMPACTED SUBGRADE

SURFACE COATING: USE NOVA PRODUCTS OR OWNER APPROVED EQUAL
-APPLY TWO COATS OF ACRYLIC RESURFACER FOR A UNIFORM BASE
-APPLY TWO COATS OF COMBINATION SURFACE. USE SAND AND 100% RICH ACRYLIC FINISH PER MANUFACTURERS RECOMMENDATION

(2) PICKLEBALL COURT   02-2501
N.T.S.

TOP OF BANK : 942'
WATERLINE : 937'
929'

(6) EAST POND CROSS SECTION
SCALE: 1:10

TOP OF BANK : 949'
WATERLINE : 944'
936'

(7) WEST POND CROSS SECTION
SCALE: 1:10

COLOR 'A' - PAVER STYLE AND COLOR BY OWNER
COLOR 'B' BORDER - PAVER STYLE AND COLOR BY OWNER
PVC. EDGING WITH SPIKES 12" O.C.

(3) TYPICAL PRECAST CONCRETE PAVER LAYOUT
N.T.S.

REVISIONS

SITE DETAILS II

DATE	1/23/24
PROJECT	23026
SHEET	

D-6.1

NORTH
1"=10'
0   5'   10'   20'   30'